



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/670,478

09/26/2003

Bertrand Lion

05725.1242-00

7403

22852

7590

09/28/2009

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER
LLP

901 NEW YORK AVENUE, NW
WASHINGTON, DC 20001-4413

EXAMINER

PEZZUTO, HELEN LEE

ART UNIT

PAPER NUMBER

1796

MAIL DATE

DELIVERY MODE

09/28/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/670,478	Applicant(s) LION ET AL.	
	Examiner Helen L. Pezzuto	Art Unit 1796	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 September 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4,8,18,26,27,29,35,73,75,78,81-83 and 87-89 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,4,8,18,26,27,29,35,73,75,78,81-83 and 87-89 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>9/1/09</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 9/1/09 has been entered.

Information Disclosure Statement

The information disclosure statement (IDS) submitted on 9/1/09 has been considered by the examiner.

Response to Amendment

Applicant's amendment to claims 1, 4, 29 filed in the response on 9/1/09 is acknowledged. Currently, claims 1, 3-4, 8, 18, 26-27, 29, 35, 73, 75, 78, and 81-83, and 87-89 are pending in this application.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 1796

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 3-4, 8, 18, 26-27, 29, 35, 73, 75, 78, 81-83, and 87-89 are rejected under 35 U.S.C. 103(a) as being unpatentable over Frechet et al. (US-855 or US-925) or Schimmel et al. (US-883) or Anton et al. (US-206) in view of Graulus et al. (US-446) or Charmot et al. (US-364) or Grubbs et al. (US-666) for the reasons of record.

US 6,663,855 B2 and US 6,685,925 B2, both to Frechet et al. (reference will be made primarily with respect to the disclosure of US-855) discloses a block copolymer comprising a core polymer and two or more flanking polymers, wherein each of the core and flanking polymers can be a copolymer having one or more monomers in common, and each of the core and flanking polymers may comprise a combination of two or more monomers (col. 6, lines 29-32, 54-57) . Specifically, prior art block copolymer may have the linear structure of $(AB)_n$ -Core, wherein at least one of blocks A and B comprises two or more monomers is hydrophobic and hydrophilic. Typically, component A is a

Art Unit: 1796

hard block having a high Tg (i.e. preferably from 30 to 150°C), and component B is a soft block having a low Tg (i.e. preferably from 175 to less than 30°C) (col. 3, line 66 to col. 4, line 36). The respective monomer components made up the core and flanking polymers are selected to produce a block polymer with balanced hydrophilic/hydrophobic characteristic (col. 4, lines 55-57). Prior art discloses Mn and Mw of the respective core and flanking polymers and the resultant copolymer within the claimed range (see tables at cols. 23-26). A molar ratio of the core polymer to the flanking polymer from 1:10 to 10:1 is further suggested (col. 5, lines 1-15), clearly encompassing the instant weight percent of first and second blocks. US-925 further teaches preferred embodiments of block copolymers containing up to 85 wt% of the flanking polymers (i.e. within the scope of the first block) and core polymers (i.e. within the scope of the second block) (col. 8, line 66 to col. 9, line 3). Suitable monomers for the core and flanking polymers are taught within the scope of the present claims, inclusive of the recited (meth)acrylates for the instant first and second blocks (col. 7, line 6 to col. 9, line 49). In the

Art Unit: 1796

embodiment of A-B-A block copolymer, prior art teaches the transition from each A block to B block maybe tapered such that there may be a gradual compositional change from A block to B block. Furthermore, there may be several monomers in a single block or there may be one or more blocks of random copolymer, referred as to the R block. Prior art discloses polymer architecture of A-R-B-A, A-R-B-R-A, wherein R is random blocks of monomers A and B, within the scope of the instant intermediate block. Still further, patentees suggest the random block may have a compositional gradient of one monomer to the other (i.e. A:B) that varies across the random block. Thus, prior art disclosure clearly suggest R contains a constituent monomer of the A and B block as presently claimed, and hence, embracing the instant intermediate block (US-855, col. 10, lines 13-50). Accordingly, the instant block copolymer comprising at least one first block, second block, linked together via an intermediate block comprising at least one constituent monomer of the at least first block and at least one constituent monomer of the at least one second block are taught within the scope of prior art block copolymer.

US 6,197,883 to Schimmel et al. discloses a coating composition comprising a block copolymer flow control

Art Unit: 1796

agent. Prior art block copolymer contains at least a first and a second block, wherein the Tg of second block is at least 20°C greater than that of the first block. The resultant block copolymer contains at least 5 wt% to less than 95 wt% of the first and second blocks (col. 3, line 66 to col. 4, line 21). A weight ratio of the first block to the second block of the copolymer is taught to range from 0.05:1 to 19:1, embraces the recited weight percent of the instant first and second block (col. 4, lines 22-24). The resultant block copolymer has a number average molecular weight of from 500 to 100,000, within those expressed in claims 82-83. Suitable first and second block monomers include those derived from C₁-C₂₀ alkyl (meth)acrylates (col. 4, lines 22 to col. 6, line 10), encompassing the (meth)acrylates expressed in the present claims. Prior art further discloses the inclusion of a minor amount of at least one hydroxyl functional ethylenically unsaturated monomer (i.e. hydroxyalkyl (meth)acrylate) in each of the first and second blocks, in a random or gradient fashion (col. 6, lines 11-41). This hydroxy functional monomer is taught to independently occupy at one or more blocks at any position within either or both of the first and second block in a random fashion or a gradient fashion. Thus, this

Art Unit: 1796

would allow the permutation of the recited block copolymer containing an intermediate random block, wherein the hydroxyl functional monomer randomly occupies the first and second block, as well as in the middle of the block. Prior art block copolymer is preferably produced by ATRP method wherein the instant polydispersity index of equal to or greater than 2.5 is abutted (col. 8, line 56 to col. 9, line 3). Thus, one having ordinary skill in the art would expect the resultant block copolymer to have identical or near identical properties.

US 6,153,206 to Anton et al. discloses a cosmetic composition comprising a synthetic polymer having a first repeating unit derived from methacrylic ester monomer having Tg of -10 to 75°C, and a second repeat unit derived from methacrylic ester monomer having Tg of 76 to 120°C. The resulting polymer can be a block copolymer having a Tg in the range of about 20 to 105°C, and a molecular weight of 5,000 to 300,000 (col. 2, lines 8-23; col. 5, lines 26-28). Patentees disclose a molecular weight of about 20,000 for the first and second repeating units (col. 3, lines 36-44; col. 4, lines 62-67), and a weight portions of the first repeating unit from 2-99 wt% and that of the second

Art Unit: 1796

repeating unit from 1-98 wt%, and vice versa, in the copolymer (col. 5, lines 1-32). Suitable methacrylic ester monomers used as first and second repeating units fall within the scope of the first and second block (meth)acrylate monomer species expressed in the present claims (col. 3, line 56 to col. 4, line to col. 5, line 54). Prior art teaches representative architectures of block and random block polymers containing blocks of first and second repeating units with random blocks containing first and second repeating units dispersed between the respective blocks (col. 4, lines 28-60). Thus, encompassing the presently claimed block copolymer containing a first, second and a random intermediate block copolymer as defined in the present claims.

Prior art references discussed above provide clear disclosures regarding the method and the selection of various monomers species and their relative proportions in producing block copolymer systems having balance of hydrophilic/hydrophobic properties. The selection of varying amounts of hard and soft block components with differences in glass transition temperature, and an intermediate random block segment is suggested within the scope of the present claims. Accordingly, one skilled in

Art Unit: 1796

the art would have readily envisaged the selection of the suitable monomers having Tg differences as taught, motivated by the reasonable expectation of success in forming block copolymers with balanced hydrophilic/hydrophobic characteristics. Once the respective monomer block components are suggested with Tg consideration, the determination of their optimum proportions or workable ranges taught within the general disclosures of prior art, and would involve only routine skill in the art. Some of the references discussed are silent regarding the polydispersity index expressed in the present claims, the examiner is of the position that it would have been obvious and fully within the purview of one having ordinary skill in the art to control the optimum molecular weight, polydispersity, polymer composition and architectures of the resultant block copolymer product so as to achieve optimum properties, by varying experimental parameters such as source, amount, and solvation of catalyst/initiators/control agents, polymerization temperature and time, etc., as shown in ancillary references, US 5,994,446, US 6,518,364 and US 6,410,666, which describes various processes in the production of block copolymer systems having wide range of polydispersity

index. Accordingly, the instant invention as defined in the present claims, is rendered prima facie obvious in view of prior art teachings.

Response to Arguments

Applicant's arguments filed 9/1/09 have been fully considered. Applicant repeated much of the arguments of record, which have been fully addressed in previous office actions, and are incorporated herein by reference. Regarding the Schimmel reference, applicant urges that the minor amount prior art hydroxyalkyl (meth)acrylate do not fall into any of the recited monomer types (a)-(d). This is not found to be persuasive as (meth)acrylate monomers (c) and (d) can be intercalated with heteroatom such as O. Furthermore, the recited at least one first block and second block can be partially derived from (meth)acrylate monomers (a)-(d), thus, do not preclude minor amounts of prior art hydroxyalkyl (meth)acrylate or other functional monomers. Moreover, Example A was used to illustrate the architecture of patentees' random block copolymer systems. Schimmel et al. are not only limited to their exemplified embodiments. Regarding the Frechet references, applicant repeated much of the previous arguments which were fully addressed in previous communications. The alleged

Art Unit: 1796

unexpected oil resistance property as demonstrated in 132 Declaration filed on 1/7/08 was also addressed by the examiner in the office action mailed on 3/26/08, and are incorporated by reference. Finally, regarding the Anton reference, applicant urges the representative polymer architectures at col. 4 fails to meet the claimed limitations. Counsel is cordially directed to the Random Copolymer at col. 4. The repeating unit segments MMMIMIMMMMIMMMIII and MMMIMIII are representations of possible recurring unit segments within a random block copolymer which encompass the claimed block copolymer, wherein MMM represents the first block, III represents the second block, and IMIMMMMIMM, and IM read on the recited intermediate block as defined in the present claims. Accordingly, the examiner's position is maintained.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Helen L. Pezzuto whose telephone number is (571) 272-1108. The examiner can normally be reached on 8 AM to 4 PM, Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wu can be reached on (571) 272-1114. The fax phone number for the organization

Art Unit: 1796

where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Helen L. Pezzuto/
Primary Examiner
Art Unit 1796

hlp